

MOTOR DRIVES FOR ROLLER SHUTTERS	Description of range	Reference
	S&SO RS100 io	1 033 114
	S&SO RS100 io Hybrid	1 033 107
	OXIMO io / OXIMO S io	1 032 700
	Modernisation kit for window bay unit S&SO RS100 io	1 030 135
	Modernisation kit for glazed door bay unit S&SO RS100 io	1 030 136
	Modernisation kit for trad window S&SO RS100 io	1 030 139
	Modernisation kit for trad window io	1 039 858
	Modernisation kit for trad glazed door io	1 049 768
MOTOR DRIVES FOR PROJECTING ROLLER SHUTTERS		
	Twipso io	1 037 980
MOTOR DRIVES FOR SKYLIGHTS	Description of range	
	GGL/GGU Solar (Velux)	
	GGL/GGU Integra io (Velux)	
	CVP (Velux)	
	GGL SCOX5 (Velux)	
MOTOR DRIVES FOR EXTERNAL VENETIAN BLINDS	Description of range	
	J4 io	
	Io radio receiver for EVB (with Hirschmann connector)	1 811 131
	Io radio receiver for EVB (with cable)	1 811 132
MOTOR DRIVES FOR INDOOR AND OUTDOOR SCREENS	Description of range	
	SUNEA Screen io	
	Sunilus Screen io	
	Pergola Screen io	
	MML (Velux)	
MOTOR DRIVES FOR PLEATED BLINDS	Description of range	
	FMG (Velux)	
MOTOR DRIVES FOR SCREEN	Description of range	
	DSL (Velux)	
MOTOR DRIVES FOR VENETIAN BLINDS	Description of range	
	PML (Velux)	
MOTOR DRIVES FOR ROLLER SHUTTER (SKYLIGHT)	Description of range	
	SSL-SML io (Velux)	
MOTOR DRIVES FOR GARAGE DOOR	Description of range	
Take care, self-tested cell set or bus mandatory	DEXXO Pro io	
	ROLLIXO io	
MOTOR DRIVES FOR GATES	Description of range	
Take care, self-tested cell set or bus mandatory	ELIXO 500 3S io	
	CBx 3S io (Axovia, Ixengo, Invisio)	
RECEIVER FOR ACCESS MOTOR DRIVES	Description of range	Reference
	io-compatible access receiver	1 841 229
ALARM SYSTEM	Description of range	
	Protexial io	
INTERFACES FOR ENTRANCE DOOR MOTOR DRIVES	Description of range	
	io KfV lock interface	1 841 055
	io GU lock interface	1 841 211

HEATING MANAGEMENT	Description of range	Reference
	Home Connect io (Ciat)	
	Pilot wire interface (Atlantic)	
	io heating interface	1 822 452
MANAGEMENT OF LIGHTING	Description of range	Reference
	io outdoor lighting receiver ON/OFF	1 822 423
	io outdoor lighting receiver variable	1 822 420
	io KRA 100 halogen spotlight (Velux)	
REMOTE CONTROLLED CONNECTOR	Description of range	Reference
	ON/OFF connector (VELUX)	1 822 295
MOTOR DRIVES FOR PERGOLA BLINDS	Description of range	
	PERGOLA io	
	PERGOLA Screen io	
	Bio-climate PERGOLA	
MOTOR DRIVES FOR VERTICAL BLINDS	Description of range	
	Maestria+ io	
	SUNEA io	
	SUNILUS io	
INDOOR TEMPERATURE SENSOR	Description of range	Reference
	Heat pump sensor (CIAT)	1 822 303
POWER CONSUMPTION MONITORING	Description of range	Reference
	Consumption sensor (Atlantic) joule effect	1 822 451
	Consumption sensor (Atlantic) heat pump	1 822 455

MOTOR DRIVES AND RECEIVERS FOR ROLLER SHUTTERS	Description of range	Reference
	OXIMO wirefree RTS	1 025 094
	OXIMO RTS	1 032 392
	ALTUS 50 RTS	1 032 447
	LT 50 RTS	1 032 275
	LT 50 CSI RTS	1 037 030
	Modernisation kit for window bay unit RTS	1 030 099
	Modernisation kit for glazed door bay unit RTS	1 030 100
	Modernisation kit for trad window RTS	1 039 488
	Modernisation kit for trad glazed door RTS	1 049 539
	Centralis Uno RTS	1 810 217
	Centralis indoor RTS	1 810 137
	Roller shutter micro receiver	2 401 162
	Dry contact receiver RTS	1 810 750
	Plate RTS receiver	1 810 314
MOTOR DRIVES FOR PANEL SHUTTERS	Description of range	
	Yslo made to measure RTS	1 240 124
	Yslo Flex RTS	1 240 147
	Yslo Easy made to measure RTS	1 240 152
MOTOR DRIVES FOR SLIDING SHUTTERS	Description of range	
	Orato RTS Motorised Rail	1 240 170
MOTOR DRIVES FOR INTERIOR VENETIAN BLINDS	Description of range	
	RTS 25 DC	
	Cord lift wirefree RTS	
	Altus 40 RTS	
	24V receiver, built-in and offset for variation	
MOTOR DRIVES FOR INTERIOR ROLLER BLINDS	Description of range	
	Roll up wirefree RTS	
	Sonesse 30 RTS, Sonesse 40 RTS	
	Sonesse 50 RTS, Sonesse 30 Modulus RTS	
	Altea RTS	
	RTS DC receiver	
MOTOR DRIVES FOR EXTERNAL VENETIAN BLINDS	Description of range	Reference
	J4 + RTS* receiver	
	Centralis Uno VB RTS*	1 810 219
	Slim RTS* receiver for variation	1 810 802
MOTOR DRIVES FOR CURTAINS	Description of range	
	Glystro 25 RTS	
	Glystro 50 RTS	
	Glydea 35 RTS	
	Glydea 60 RTS	
MOTOR DRIVES FOR GATES	Description of range	Reference
	Elixo 500 RTS	
<i>In accordance with the standard, we advise you to install a set of cells</i>	Axovia (180B, 220B)	
	CBx 3S RTS	
	FX 24 et FX 230	
	RTS standard receiver**	1 810 217
MOTOR DRIVES FOR GARAGE DOOR	Description of range	
<i>In accordance with the standard, we advise you to install a set of cells</i>	Dexxo (Pro, Optimo, Compact) RTS	
	Rollixo RTS	
alarm	Description of range	
	Protexial RTS	

* ON/OFF order or rise/lower only. Not compatible with variation.

** Manual control operation only.

MOTOR DRIVES FOR TERRACE BLINDS	Description of range	Reference
	OREA RTS	
	SUNEA 50 CSI RTS	
	LT50 CSI RTS	
	ALTUS RTS	
	Loggia 50 RTS	
	RTS universal receiver	1 810 624
	RTS Slim universal receiver	1 810 783
HEATING MANAGEMENT	Description of range	Reference
	Consumption sensor (Atlantic) joule effect	1 822 451
	Consumption sensor (Atlantic) heat pump	1 822 455
LIGHTING RECEIVER AND CONTROLLED CONNECTOR	Description of range	Reference
	Indoor lighting receiver RTS	1 810 165
	Outdoor lighting receiver RTS	1 810 628
	Slim lighting receiver RTS	1 822 215
	1 and 3 metre lighting rail	1 811 022
		1 810 878

MOTOR DRIVES FOR ROLLER SHUTTERS	Description of range	Reference
	RMS 1000 & RMS 2000	
	Rollerdrive	
	Dirigo	
	Centralis Uno RTS	2 400 850
	Roller shutter micro receiver	2 401 162
MOTOR DRIVES FOR PANEL SHUTTERS	Description of range	Reference
	SYNAPSIA RTS	2 401 225
MANAGING LIGHTING AND ELECTRICAL EQUIPMENT	Description of range	Reference
	Indoor grey ON/OFF remote control connector	2 401 091
	Indoor white ON/OFF remote control connector	2 401 363
	Garden ON/OFF multi-way connector	2 401 094
	Outdoor ON/OFF remote control connector	2 401 093
	ON/OFF remote controlled socket	2 401 096
	Indoor lighting receiver	2 401 073
	Outdoor lighting receiver	2 400 583
	Lighting micro-receiver	2 401 161
ALARM SYSTEM	Description of range	Reference
	Kits PROTEXIOM (à partir de 2009)	
	Kits ASR	
MOTOR DRIVES FOR GARAGE DOOR	Description of range	Reference
In accordance with the standard, we advise you to install a set of cells	GDK 3000 (manufactured from November 2008)	2 400 629
	GDK 700	2 401 440
	GDK 4000 (manufactured from November 2008)	2 400 630
	LS 5000 (manufactured from November 2008)	2 400 644
	LS 9000 (manufactured from November 2008)	2 400 644
		2 401 441
		2 401 374
MOTOR DRIVES FOR PANEL GATE	Description of range	Reference
<p>To register with TaHoma, a relay remote control is needed (ref. 1841194) or else the TaHoma Serenity remote control (ref.2410370).</p> <p>In accordance with the standard, we advise you to install a set of cells</p>	SGA (with BUS electronics)	2 400 853
	EVOLVIA 400	2 400 948
	EVOLVIA 450	2 400 899
	PASSEO 800	2 400 978
	SGS 400	2 401 203
	SGS 501 (manufactured from July 2009)	2 400 764
	SGS 601 (manufactured from July 2009)	2 400 777
	LS 360 (manufactured from July 2009)	2 400 847
	EXAVIA 500	2 401 204
	WISPA 800	2 401 247
	GO SC 500	
	GO AR 400	
MOTOR DRIVES FOR SLIDING GATE	Description of range	Reference
<p>To register with TaHoma a relay remote control is needed (ref. 1841194).</p> <p>In accordance with the standard, we advise you to install a set of cells</p>	FREEVIA 280	
	FREEVIA 290	2 401 076
	FREEVIA 300	2 400 888
	FREEVIA 390	2 401 413
	FREEVIA 400	2 401 410
	FREEVIA 600	2 400 889
	LS 420	2 400 896
	LS 430	2 400 897
	LS 440	2 401 411
	LS 650	2 401 412
	SLIDYMOOVE 300	2 401 405
	SLIDYMOOVE 600	2 401 405
	GO SLG 7	2 401 340
RECEIVER	Description of range	Reference
	Gate / garage door receiver*	2 400 556

* Manual control operation only.

MANAGING LIGHTING AND ELECTRICAL EQUIPMENT	Description of range	Reference
	Zwave ON / OFF remote control connector	1 822 483
	Zwave variable remote control connector	1 822 485
	Zwave ON / OFF micro-receiver	1 822 487
	Zwave variable micro-receiver	1 822 488
	Zwave key	1 822 492
HEATING MANAGEMENT	Description of range	Reference
	Living Connect Z (Danfoss) thermostat head 014G0013 / LC13	1822489

POWER CONSUMPTION MONITORING	Description of range	Reference
	Module 65A (Eltako) FWZ12	
	Module 16A (Eltako) FWZ12	
	Module 16A (Eltako) FWZ61	
DOOR/WINDOW HANDLE SENSOR	Description of range	
	Secusignal white window handle - 6 to 16 mm (Hoppe)	1 811 307
	Secusignal white window handle - 32 to 42 mm (Hoppe)	1 811 309
	Secusignal stainless steel window handle - 6 to 16 mm (Hoppe)	1 811 308
	Secusignal stainless steel window handle - 32 to 42 mm (Hoppe)	1 811 310

* Use of Zwave products requires installation of the Zwave key on the home automation unit (ref. 1822492)

** Use of Enocean products requires installation of the Enocean module on the home automation unit (ref. 1824033)

CONNECTED LOCK	Description of range	Reference
	Connected lock*	2 401 398
SOMFY PROTECT	Description of range	Reference
	Somfy Security Camera	2 401 485
	Somfy ONE	2 401 492
	Somfy ONE +	2 401 493
	Somfy Home Alarm	2 401 497
TEMPERATURE SENSOR	Description of range	Reference
	Thermis Wirefree io	1 822 303
SUN SENSOR	Description of range	Reference
	Sunis Wirefree io	1 818 245
ALARM DETECTORS	Description of range	Reference
	Smoke detector	1 875 062
	Indoor movement detector	1 875 003
	Motion detector (house with a dog)	1 875 004
	Motion detector (pets)	1 875 060
	Outdoor motion detector	1 875 061
	White opening detector	1 875 056
	Brown opening detector	1 875 057
	Water leak detector	2 400 509
	Module for alarm detectors**	1 824 032
PROTEXIAL/OM ALARM SIRENS	Description of range	Reference
	Outdoor siren with flash	1 875 068
		2 400 935
	Indoor siren	1 811 561
		2 401 453
SERENITY IO MODULES	Description of range	Reference
With the TaHoma V1 box (square shape), the detector module is required as well (reference 1824032)	Tahoma serenity remote control	2 401 370
	io smoke detector	1 811 483
		2 401 323
	io motion detector	1 811 481
		2 401 361
	io opening and impact detector	1 811 482
		2 401 362
	io indoor siren	1 811 561
		2 401 453
CAMERAS	Description of range	Reference
	Indoor camera	1 875 110
		2 401 089
	Exterior camera	1 875 085
		2 401 149
	Visidom IC100	2 401 291
	Visidom ICM100***	2 401 189
	Visidom OC100	2 401 188
	M1011-W (Axis) - from version 5.20.2	
	M3113-VE (Axis) - from version 5.40.9.3	
	M1004-W (Axis) - from version 5.40.5	
TAHOMA SCENARIO LAUNCHER	Description of range	Reference
	Scenario launcher	1 824 035
HEATING MANAGEMENT	Description of range	Reference
	Honeywell USB module	
	Evo Touch 1 & 2 , HR 80, BDR91, HCC/HCE (EvoHome Honeywell)****	
	Dry contact programmable wired thermostat****	2 401 243
	Dry contact radio thermostat + receiver****	2 401 242
	Pilot wire radio programmer + receiver****	2 401 244
	Wireless thermostat + receiver	2 401 104

* Operates only with Internet link added (2401400)

** Operates with the first generation TaHoma box (square shape).

*** The camera rotation function is not built into TaHoma.

**** Cannot be included in TaHoma automatic system (day on the agenda function).

PHILIPS HUE LIGHT FITTINGS	Description of range	Reference
	Pack of 3 coloured bulbs + bridge	1 822 504
	Coloured bulb E27	1 822 505
	Pack 2 bloom + bridge	1 822 506
	Bloom	1 822 507
	LED Lightstrip	1 822 508
	Coloured Spot GU10	1 822 509
	Pack of 2 white bulbs + bridge	1 822 510
	White bulb E27	1 822 511
	Hue Go	1 822 565
	Light strip Plus 2m	1 822 566
	Light strip Plus Extension 1m	1 822 567
	Spot BR30	
	Living Colors Iris	
	Disney Living Colors	
	Beyond	
PHILIPS HUE BRIDGES	Description of range	
	Bridge V1 (round shape)	
	Bridge V2 (square shape)	1 822 568

ATLANTIC RADIATORS	Description of range
<p><i>* Cannot be included in TaHoma automatic controls (Scenario, Smart, Agenda)</i></p> <p><i>Comfort/eco settings made from configuration page</i></p>	529807 CALISSIA H 0750W
	529810 CALISSIA H 1000W
	529812 CALISSIA H 1250W
	529815 CALISSIA H 1500W
	529820 CALISSIA H 2000W
	529910 CALISSIA V 1000W
	529915 CALISSIA V 1500W
	529920 CALISSIA V 2000W
	500907 MARADJA DIG CONNECTED LOW 0750W
	500910 MARADJA DIG CONNECTED LOW 1000W
	500915 MARADJA DIG CONNECTED LOW 1500W
	507607 MARADJA INTELLIGENT CONTROL CONNECTED H 0750W
	507610 MARADJA INTELLIGENT CONTROL CONNECTED H 1000W
	507612 MARADJA INTELLIGENT CONTROL CONNECTED H 1250W
	507615 MARADJA INTELLIGENT CONTROL CONNECTED H 1500W
	507620 MARADJA INTELLIGENT CONTROL CONNECTED H 2000W
	507710 MARADJA INTELLIGENT CONTROL CONNECTED V 1000W
	507715 MARADJA INTELLIGENT CONTROL CONNECTED V 1500W
	507720 MARADJA INTELLIGENT CONTROL CONNECTED V 2000W
	566205 TATOU INTELLIGENT CONTROL H 0500W
	566207 TATOU INTELLIGENT CONTROL H 0750W
	566210 TATOU INTELLIGENT CONTROL H 1000W
	566212 TATOU INTELLIGENT CONTROL H 1250W
	566215 TATOU INTELLIGENT CONTROL H 1500W
	566220 TATOU INTELLIGENT CONTROL H 2000W
	666410 TATOU INTELLIGENT CONTROL V 1000W
	666415 TATOU INTELLIGENT CONTROL V 1500W
	666420 TATOU INTELLIGENT CONTROL V 2000W
	500607 GALAPAGOS INTELLIGENT CONTROL CONNECTED H 0750W
	500610 GALAPAGOS INTELLIGENT CONTROL CONNECTED H 1000W
	500612 GALAPAGOS INTELLIGENT CONTROL CONNECTED H 1250W
	500615 GALAPAGOS INTELLIGENT CONTROL CONNECTED H 1500W
	500620 GALAPAGOS INTELLIGENT CONTROL CONNECTED H 2000W
	501310 GALAPAGOS INTELLIGENT CONTROL CONNECTED V 1000W
	501315 GALAPAGOS INTELLIGENT CONTROL CONNECTED V 1500W
	501320 GALAPAGOS INTELLIGENT CONTROL CONNECTED V 1800W
	502907 GALAPAGOS DIGITAL CONNECTED L 0700W
	502910 GALAPAGOS DIGITAL CONNECTED L 1000W
	502915 GALAPAGOS DIGITAL CONNECTED L 1400W

THERMOR RADIATORS	Description of range
<p>* Cannot be included in TaHoma automatic controls (Scenario, Smart, Agenda)</p> <p>Comfort/eco settings made from configuration page</p>	482221 EQUATEUR 3 H 0750W
	482231 EQUATEUR 3 H 1000W
	482241 EQUATEUR 3 H 1250W
	482251 EQUATEUR 3 H 1500W
	482271 EQUATEUR 3 H 2000W
	427231 EQUATEUR 3 V 1000W
	427251 EQUATEUR 3 V 1500W
	427271 EQUATEUR 3 V 2000W
	452121 EQUATEUR 3 LOW 0750W
	452131 EQUATEUR 3 LOW 1000W
	452151 EQUATEUR 3 LOW 1500W
	414521 KENYA 3 H 0750W
	414531 KENYA 3 H 1000W
	414541 KENYA 3 H 1250W
	414551 KENYA 3 H 1500W
	414571 KENYA 3 H 2000W
	414631 KENYA 3 V 1000W
	414651 KENYA 3 V 1500W
	414671 KENYA 3 V 2000W
	445211 EMOTION 3 H 0500W
	445221 EMOTION 3 H 0750W
	445231 EMOTION 3 H 1000W
	445241 EMOTION 3 H 1250W
	445251 EMOTION 3 H 1500W
	445271 EMOTION 3 H 2000W
	423631 EMOTION 3 V 1000W
	423651 EMOTION 3 V 1500W
	423671 EMOTION 3 V 2000W
	493821 BILBAO 3 H 0750W
	493831 BILBAO 3 H 1000W
	493841 BILBAO 3 H 1250W
	493851 BILBAO 3 H 1500W
	493871 BILBAO 3 H 2000W
	494831 BILBAO 3 V 1000W
	494851 BILBAO 3 V 1500W
	494871 BILBAO 3 V 1800W
	494821 BILBAO 3 B 0700W
	494831 BILBAO 3 B 1000W
	494851 BILBAO 3 B 1400W
	480221 OVATION 3 H 0750W
	480231 OVATION 3 H 1000W
	480241 OVATION 3 H 1250W
	480251 OVATION 3 H 1500W
	480271 OVATION 3 H 2000W
	430231 OVATION 3 V 1000W
	430251 OVATION 3 V 1500W
	430271 OVATION 3 V 2000W
	450321 OVATION 3 P 0750W
	450331 OVATION 3 P 1000W
	450351 OVATION 3 P 1500W

SAUTER RADIATORS	Description of range
<p><i>* Cannot be included in TaHoma automatic controls (Scenario, Smart, Agenda)</i></p> <p><i>Comfort/eco settings made from configuration page</i></p>	526310 MALAO HZ 1000W
	526315 SAUTER MALAO HZ 1500W
	500110 BOLERO AUTO H 1000W
	500110 BOLERO AUTO H 1500W
	500110 BOLERO AUTO H 2000W
	500710 GYALI H 1000W
	500710 GYALI H 1500W
	500710 GYALI H 2000W

DIETRICH HEATING	Description of range
* Cannot be included in TaHoma automatic controls (Scenario, Smart, Agenda)	Innovens gas boiler MCA gas boiler 1.7 Modulens G 3.0 Modulens O 3.0 Oil boiler HP Inverter Evolution 3.1 heat pump** GSHP 2.0 geothermal heat pump**
**Diematic System regulator fitting mandatory	

AIR/AIR HEAT PUMP*

Wall-mounted	Description of range
	SHIROKUMA S SHIROKUMA PERFORMANCE SUMMIT
Panels	Description of range
	SHIROKUMA PERFORMANCE
Ducted	Description of range
	MONOZONE (infra-red) MONOZONE (wire) MONOZONE LOW PRESSURE (infra-red) MONOZONE LOW PRESSURE (wire)
Cassettes	Description of range
	MONOZONE
Multi	Description of range
	OUTDOOR SETS INDOOR UNITS

AIR/WATER HEAT PUMP*

BIBLOC YUTAKI S HEAT PUMP	Description of range
	YUTAKI S HEAT ONLY YUTAKI S REVERSIBLE
BIBLOC YUTAKI S COMBI HEAT PUMP	Description of range
	YUTAKI S COMBI HEAT ONLY 200 LITRES YUTAKI S COMBI HEAT ONLY 260 LITRES YUTAKI S COMBI REVERSIBLE 200 LITRES YUTAKI S COMBI REVERSIBLE 260 LITRES
YUTAKI S80	Description of range
	MONOPHASE TRIPHASE
YUTAKI S80 + 190l cylinder	Description of range
	MONOPHASE TRIPHASE
YUTAKI S80 + 260l cylinder	Description of range
	MONOPHASE TRIPHASE

* Cannot be included in TaHoma automatic controls (Smart, Agenda)